KOFOL IMMUNITY TABLETS

Immunity for all

COMPOSITION

Fach.	COSTAN	tablet	contains:
Lacii	LUGLEU	Labiel	contains.

Name of Ingredients	Latin/English Name	Qty
Powder:		
Triphala Guggul	>>>	200 mg

Extracts of the following:

Extracts of the following.		
Guduchi	Tinospora cordifolia St	500 mg
Haridra	Curcuma longa Rz	500 mg
Manjishtha	Rubia cordifolia Rt	250 mg
Chitrak	Plumbago zeylanica Rt	150 mg
Pippali	Piper longum	66.66 mg
Marich	Piper nigrum	66.66 mg
Shunthi	Zinziber officinale	66.66 mg

THERAPEUTIC RATIONALE

KOFOL immunity tablets reduces pathogen virulence and strengthens host immunity. *Tinospora cordifolia* controls bacterial infections by inhibiting quorum sensing activity of pathogens. *Curcuma longa* control infections by preventing bacterial adhesion to host tissue by inhibiting the biofilm formation of pathogens.

KOFOL immunity tablets improves cellular as well as humoral immunity. *Curcuma longa* and *Tinospora cordifolia* improve the immunity by increasing polymorphonuclear cells as well as by enhancing immunoglobulin synthesis. *Triphala Guggul, Plumbago zeylanica* and *Rubia cordifolia* possess anti-bacterial, anti-inflammatory and wound healing properties. *Piper longum* is immunomodulator, bioavailability enhancer, respiratory tonic, enhances host resistance and helps in recovery from intestinal infections.

Thus, KOFOL immunity tablets complements the action of antibiotics and helps achieve faster recovery from various infections.

INDICATIONS

Prophylactic:

- Immunity builder
- Long-term oral steroid therapy
- Seasonal outbreaks of infective diseases e.g. Influenza, Typhoid or Malaria

Therapeutic:

- As a complement for antimicrobial therapy, particularly respiratory tract infections and skin and soft tissue infections.
- As a monotherapy in PUO (Pyrexia of unknown origin).

DOSAGE

KOFOL immunity Tablet:

Adults

Prophylactic dose: 1 tablets twice daily for 2 to 3 months

Therapeutic dose: 2 tablets twice daily till the symptoms subside or as directed by the physician

It is advisable to allow an interval of at least 30 minutes between the administration of KOFOL immunity tablets and other concurrent medications.